

15KN Horizontal Load Capacity Ringlock System Scaffolding with 4 Safety Factor and 2 Year Warranty

Basic Information

Place of Origin: ChinaBrand Name: BythaiModel Number: BT03



Product Specification

• Vertical Load Capacity: ≥45KN

• Weight: ≤30kg/m2

• Joints: Double-locking

• Vertical Adjustment: ≤±3°

Horizontal Load ≥15KN

Capacity:

Material: Q235 SteelSize: 48.3mmWarranty: 2 Years

• Highlight: scaffolding ringlock system,

horizontal ringlock system scaffolding

Product Description:

The Ringlock System Scaffolding is a revolutionary scaffold system with components that enable a maximum height of 30 metres. It is composed of vertical, horizontal, diagonal, brace, base plate, ladder and other components. It has the capacity for horizontal adjustment of up to 3 degrees and vertical adjustment of up to 3 degrees. The Ringlock System Scaffolding meets the international standards of EN12810 and EN12811, and is popularly known as "ringlock standard" or "ringlock ledger". It is a reliable and safe scaffolding system for construction and other related works.

Features:

Product Name: Ringlock-System Scaffolding

Max Height: ≤30m

Vertical Load Capacity: ≥45KN Horizontal Load Capacity: ≥15KN

Warranty: 2 Years Size: 48.3mm

Keywords: Ringlock, Ringlock Scaffolding System, Ringlock formwork, Ringlock System Scaffolding

Technical Parameters:

Property	Value
Vertical Adjustment	≤±3°
Max Height	≤30m
Material	Q235 Steel
Safety Factor	≥4
Horizontal Adjustment	≤±3°
Size	48.3mm
Warranty	2 Years
Vertical Load Capacity	≥45KN
Components	Vertical, Horizontal, Diagonal, Brace, Base Plate, Ladder, Etc.
Weight	≤30kg/m2
Ringlock Standard	Ringlock Formwork, Ringlock Ledger

Applications:

Bythai's Ringlock System Scaffolding, model BT03, is designed and manufactured in China with a safety factor of ≥4, a vertical load capacity of ≥45KN, a horizontal load capacity of ≥15KN, and a maximum height of ≤30m. It is an excellent choice for commercial and industrial construction projects due to its reliable structure, consisting of vertical, horizontal, diagonal, brace, base plate, and ladder components, and its long-lasting performance. The ringlock standard ensures that the Ringlock System Scaffolding offers superior strength and stability, making it an ideal choice for any job site. Bythai's Ringlock System Scaffolding is the perfect solution for any construction project.

Customization:

Ringlock System Scaffolding

Product Highlights

Brand Name: Bythai

Model Number: BT03

Place of Origin: China

Joints: Double-locking

Weight: ≤30kg/m2

Vertical Load Capacity: ≥45KN

Material: Q235 Steel Vertical Adjustment: ≤±3° **Customized Services**

Bythai offers a wide range of Ringlock System Scaffolding, including ringlock ledger, Ringlock Scaffolding System, ringlock standard, ringlock scaffold and ringlock scaffolding. Our Ringlock System Scaffolding is made of high-quality Q235 Steel, with a weight of ≤30kg/m2 and vertical load capacity of ≥45KN. It has double-locking joints, and a vertical adjustment of ≤±3°. We are confident that it will meet your expectations.

Support and Services:

Ringlock System Scaffolding Technical Support and Service

Ringlock System Scaffolding is a safe and reliable scaffolding system that is designed for use in construction, industrial, and other applications. We offer comprehensive technical support and service for our Ringlock System Scaffolding products to ensure they are used properly and safely.

Technical Support

Our team of experienced technicians is available to offer technical support for our Ringlock System Scaffolding products. We can provide troubleshooting assistance, answer any questions about product specifications, and offer advice on the best use of our products. We also offer product training and can assist with installation and maintenance. Service

Our team of skilled technicians is available to provide service for our Ringlock System Scaffolding products. We offer repair and maintenance services to ensure that our products are in good condition and functioning properly. We can also provide replacement parts for any of our products.

We guarantee that all of our Ringlock System Scaffolding products are of the highest quality and will meet all safety standards. We are committed to providing excellent customer service and stand by our products with a satisfaction guarantee.

Packing and Shipping:

Packaging and Shipping for Ringlock System Scaffolding

Ringlock system scaffolding is packed into bundles, with each bundle consisting of one horizontal and five vertical standards with spigots and base collars, four ledger ends, and one set of braces. All components are secured with steel banding.

For shipping, the bundles are placed onto pallets and secured with stretch wrap. The pallets are then loaded onto a truck or container for delivery.

FAQ:

- Q:-What is the Brand-Name of the Ringlock-System Scaffolding?-
- A: The Brand Name of the Ringlock System Scaffolding is Bythai.
- Q: What is the Model Number of the Ringlock System Scaffolding?
- A: The Model Number of the Ringlock System Scaffolding is BT03.
- Q: Where is the Ringlock System Scaffolding made?
- A: The Ringlock System Scaffolding is made in China.
- Q: What are the advantages of the Ringlock System Scaffolding?
- A: The Ringlock System Scaffolding is highly durable and easy to install, making it ideal for a variety of applications.
- Q: What are the main applications for the Ringlock System Scaffolding?
- A: The Ringlock System Scaffolding is perfect for construction sites, industrial projects, and other applications where safety and stability is a priority.



Bythai Scaffolding Co.,Ltd



17300780862



info@bythaiscaffolding.com



bythaiscaffold.com

No. 605, Industrail Exchange Center, Huanghua Town Changsha Hunan China