

Basic Information

Bythai Scaffolding Co.,Ltd

China

Bythai

BT03

bythaiscaffold.com

BY THAI

- Place of Origin:
- Brand Name:
- Model Number:



Product Specification

Surface Treatment:	Hot-dip Galvanized
• Weight:	≤30kg/m2
• Vertical Load Capacity:	≥45KN
Material:	Q235 Steel
Components:	Vertical, Horizontal, Diagonal, Brace, Base Plate, Ladder, Etc.
• Size:	48.3mm
Max Height:	≤30m
Vertical Adjustment:	≤±3°
• Highlight:	Q235 Steel Ringlock Scaffolding System, Infrastructure Ringlock Scaffolding System

Product Description:

Ringlock System Scaffolding is a professional scaffolding system that provides safety, stability, and flexibility. It is designed to meet the needs of construction projects of all sizes. The Ringlock System Scaffolding is composed of Ringlock accessories, which are connected together in a simple and easy way. The main components of the Ringlock System Scaffolding include vertical load capacity of \geq 45KN, hotdip galvanized surface treatment, horizontal adjustment of $\leq \pm 3^{\circ}$, safety factor of \geq 4, and double-locking joints. The Ringlock System Scaffolding is ideal for a wide range of applications, from residential to industrial, and its simple and easy-to-install design makes it suitable for almost any project. The Ringlock System Scaffolding is a reliable and cost-effective solution that can be used in any environment for a variety of projects.

Features:

Product Name: **Ringlock System Scaffolding** Surface Treatment: **Hot-dip Galvanized** Standard: **EN12810 & EN12811** Safety Factor: ≥4 Horizontal Adjustment: ≤±3° Horizontal Load Capacity: ≥15KN

Applications:

Bythai BT03 Ringlock System Scaffolding is a reliable and efficient scaffolding system for construction projects. It has double-locking joints for highest safety and stability. This Ringlock System Scaffolding is certified by EN12810 & EN12811 and the vertical load capacity is \geq 45KN and vertical adjustment \leq ±3°. With the 2-year warranty, Bythai BT03 Ringlock System Scaffolding is the ideal choice for your construction projects.

Bythai BT03 Ringlock System Scaffolding is perfect for construction sites, warehouses, factories, plants, stadiums, commercial buildings, and other areas that require temporary or permanent scaffolding. It is also suitable for other large-scale construction projects, such as bridge construction, high-rise buildings, and other challenging projects.

The Bythai BT03 Ringlock System Scaffolding is designed to be strong, reliable and easy to assemble. It is made from high-quality steel, and its double-locking joints ensure maximum safety and stability. The scaffolding can also be adjusted and reconfigured to suit different needs and applications.

Bythai BT03 Ringlock System Scaffolding is the perfect solution for any construction project. Its strong construction and double-locking joints make it the ideal choice for any job. With the 2-year warranty, you can rest assured that your scaffolding will last for years to come.

Customization:

Ringlock System Scaffolding Customized Service

Bythai Ringlock System Scaffolding (Model Number: BT03) comes with 2 years warranty, vertical adjustment $\leq \pm 3^{\circ}$, components including vertical, horizontal, diagonal, brace, base plate, ladder, etc., safety factor ≥ 4 , and conforms to EN12810 & EN12811 standards. Bythai Ringlock System Scaffolding is designed to provide superior safety and stability for construction purposes. It is one of the most popular scaffolding systems and is the perfect choice for your construction projects.

We provide customized service for your ringlock standard scaffolding needs. Our experienced engineers and technicians can help you design the most suitable and cost-effective ringlock scaffolding for your project.

Support and Services:

Ringlock System Scaffolding Technology Support and Service

We provide comprehensive support and maintenance for our Ringlock System Scaffolding products, so that you can have complete peace of mind when using them. With our experienced and knowledgeable staff, we will provide you with the highest quality of service and advice to ensure you get the most out of your Ringlock System Scaffolding products.

We will be available to answer any questions you may have regarding the installation, use and maintenance of your products. We will provide detailed instructions on how to use the product correctly and safely, as well as advice on how to maintain the product to get the most out of it. We will also help you troubleshoot any problems you may encounter, so that you can get the product working as quickly as possible.

If you ever require any additional help or advice, our team of experts are here to help. We will strive to provide prompt and accurate support whenever you need it. We are here to ensure that you can get the most out of your Ringlock System Scaffolding products.

Packing and Shipping:

Ringlock System Scaffolding packaging and shipping are as follows:

Each component of the Ringlock System Scaffolding is packaged and shipped separately, including the base plate, vertical standard, horizontal brace, ledger, joint pin, etc.

The surface of the components should be wrapped with foamed plastics to prevent scratching during transportation.

The components should be packaged in wooden cases or wooden pallets for a better protection.

