

Tensile Galvanised Scaffold Tube En39 Certified For Sturdy Scaffolding Construction

Our Product Introduction

for more products please visit us on bythaiscaffold.com

Basic Information

- Place of Origin: China
- Brand Name: Bythai Scaffolding
- Certification: SGS ISO
- Model Number: BT01
- Minimum Order Quantity: 1000
- Price: \$10-\$85
- Packaging Details: In bundles
- Delivery Time: 7-15 days
- Payment Terms: TT/LC
- Supply Ability: 1000tons per month



Product Specification

- Standard: EN39
- Tensile Strength: 420N/mm²
- Application: Scaffolding
- Yield Strength: 245N/mm²
- Surface Treatment: Galvanised
- Weight: 6.4kg/m
- Diameter: 48.3mm
- Name: Galvanised Scaffold Tube
- Highlight: **Sturdy Construction Galvanised Scaffold Tube, Tensile Galvanised Scaffold Tube, En39 Galvanised Scaffold Tube**



Product Description

Product Description:

The Galvanised Scaffold Tube is a high-strength, durable metal tubing designed specifically for use in scaffolding applications. This robust product is manufactured from galvanised steel, providing a sturdy and reliable solution for construction environments where safety and stability are of utmost importance. The galvanisation process ensures that the steel tube is coated with a protective layer of zinc, offering enhanced resistance to corrosion and the elements, which makes it an ideal choice for outdoor or industrial settings.

Technical Parameters:

Attribute	Details
Name	Galvanised Scaffold Tube
Yield Strength	245N/mm ²
Tensile Strength	420N/mm ²
Weight	6.4kg/m
Material	Galvanised Steel
Thickness	3.2mm
Application	Scaffolding
Surface Treatment	Galvanised
Diameter	48.3mm
Standard	EN39

Customization:

Brand Name: Bythai Scaffolding

Model Number: BT01

Place of Origin: China

Certification: SGS

Minimum Order Quantity: 1000

Price: \$10-\$85

Packaging Details: In bundles

Delivery Time: 7-15 days

Payment Terms: TT/LC

Supply Ability: 1000tons per month

Surface Treatment: Galvanised

Thickness: 3.2mm

Yield Strength: 245N/mm²

Standard: EN39

Application: Scaffolding

Our **galvanised scaffold tubes** are designed for high-performance and durability. Manufactured by Bythai Scaffolding, these tubes are ideal for a variety of scaffolding applications. The **scaffold aluminum tube** model BT01 is crafted with precision, adhering to the EN39 standard, and ensures a yield strength of 245N/mm². With a **galvanized pipe** surface treatment, our tubes offer superior resistance to corrosion, making them a reliable choice for your scaffolding needs.





Bythai Scaffolding Co.,Ltd



17300780862



info@bythaiscaffolding.com



bythaiscaffold.com

No. 605,Industrail Exchange Center ,Huanghua Town Changsha Hunan China