

## Galvanized Scaffold Tube 48 Heavy Duty And Corrosion Resistant Material

Our Product Introduction

for more products please visit us on [bythaiscaffold.com](http://bythaiscaffold.com)

### Basic Information

- Place of Origin: China
- Brand Name: Bythai Scaffolding
- Certification: SGS ISO
- Model Number: BT201
- Minimum Order Quantity: 1000
- Price: \$10-\$85
- Packaging Details: In bundles
- Delivery Time: 10-15 days
- Payment Terms: TT/TC
- Supply Ability: 1000tons per month



### Product Specification

- Application: Scaffolding
- Diameter: 48.3mm
- Weight: 6.4kg/m
- Standard: EN39
- Yield Strength: 245N/mm2
- Thickness: 3.2mm
- Material: Galvanised Steel
- Name: Galvanised Scaffold Tube
- Highlight: **48 Heavy Duty Galvanized Scaffold Tube, Corrosion Resistant Galvanized Scaffold Tube**



### More Images



## Product Description

### Product Description:

Our Galvanised Scaffold Tube has a diameter of 48.3mm, making it compatible with most tube and coupler scaffolding systems. It is designed to be used in a variety of applications, including construction, maintenance, and repair work.

One of the key benefits of using our Galvanised Scaffold Tube is its superior surface treatment. The galvanised steel construction ensures that the tube is resistant to rust and corrosion, making it suitable for use in even the harshest environments.

When it comes to scaffolding tube price, our Galvanised Scaffold Tube is a cost-effective solution that will help you get the job done on time and within budget. It is available in a range of lengths to suit your specific requirements, and can be ordered in bulk for even greater savings.

So if you're looking for a high-quality, reliable scaffolding tube that will stand up to the toughest conditions, look no further than our Galvanised Scaffold Tube. Contact us today to learn more about our galvanized scaffolding pipe tube and how it can help you get the job done.

### Features:

Product Name: Galvanised Scaffold Tube

Tensile Strength: 420N/mm<sup>2</sup>

Diameter: 48.3mm

Application: Scaffolding

Surface Treatment: Galvanised

Galvanised Scaffold Tube is a steel and pipe product designed for use in tube and coupler scaffolding. With a tensile strength of 420N/mm<sup>2</sup> and a diameter of 48.3mm, it is a durable and reliable choice for construction projects where safety is a top priority. Its galvanised surface treatment ensures resistance to corrosion, making it suitable for outdoor use.

### Technical Parameters:

Standard	EN39
Material	Galvanised Steel
Thickness	3.2mm
Application	Scaffolding
Tensile Strength	420N/mm <sup>2</sup>
Diameter	48.3mm
Weight	6.4kg/m
Surface Treatment	Galvanised
Name	Galvanised Scaffold Tube
Yield Strength	245N/mm <sup>2</sup>

Get the galvanised scaffold tubes customized to your requirements and enjoy the benefits of a durable and long-lasting product.



**Bythai Scaffolding Co.,Ltd**



17300780862



info@bythaiscaffolding.com



bythaiscaffold.com

No. 605,Industrail Exchange Center ,Huanghai Town Changsha Hunan China