

48.3mm Scaffold Tube EN39 Standard for Construction Framework System

Our Product Introduction

for more products please visit us on bythaiscaffold.com

Basic Information

- Place of Origin: China
- Brand Name: Bythai Scaffolding
- Certification: SGS ISO
- Model Number: BT201
- Minimum Order Quantity: 1000
- Price: \$10-\$85
- Packaging Details: In bundles
- Delivery Time: 10-15 days
- Payment Terms: TT/TC
- Supply Ability: 1000tons per month



Product Specification

- Diameter: 48.3mm
- Thickness: 3.2mm
- Standard: EN39
- Surface Treatment: Galvanised
- Application: Scaffolding
- Weight: 6.4kg/m
- Tensile Strength: 420N/mm²
- Name: Galvanised Scaffold Tube
- Highlight: 48.3mm Scaffold Tube, EN39 Scaffold Tube, Construction Framework System Scaffold Tube



More Images



Product Description

Product Description:

Made to the EN39 standard, this scaffolding tube is manufactured to the highest quality and safety standards. With a tensile strength of 420N/mm², you can trust that this tube will hold up to even the toughest jobs.

At 6.4kg/m, this galvanised scaffold tube is lightweight and easy to use. Its galvanised finish also adds an extra layer of protection against rust and corrosion, ensuring that it will last for years to come.

When it comes to scaffolding, safety is key. That's why our Galvanised Scaffold Tube is the perfect choice. Its high-quality construction and reliable strength make it a go-to option for contractors and construction professionals.

Don't settle for anything less than the best. Choose our Galvanised Scaffold Tube for all your scaffolding needs. Contact us today to learn more about this product and how it can benefit your next construction project.

Features:

Product Name: Galvanised Scaffold Tube

Thickness: 3.2mm

Standard: EN39

Application: Scaffolding

Surface Treatment: Galvanised

Tensile Strength: 420N/mm²

Galvanised Scaffold Tube is a type of scaffolding steel tube that has been galvanized to increase its durability and resistance to corrosion. It meets the EN39 standard and has a thickness of 3.2mm. With a tensile strength of 420N/mm², it is a strong and reliable option for use in construction projects that require scaffolding. This tube is also known as a BS1139 Scaffolding Tube.

Technical Parameters:

Parameter	Value
Name	Galvanised Scaffold Tube
Standard	EN39
Material	Galvanised Steel
Diameter	48.3mm
Thickness	3.2mm
Surface Treatment	Galvanised
Yield Strength	245N/mm ²
Tensile Strength	420N/mm ²
Weight	6.4kg/m
Application	Scaffolding





17300780862



info@bythaiscaffolding.com



bythaiscaffold.com

No. 605,Industrail Exchange Center ,Huanghua Town Changsha Hunan China